Tel.: (866) 329-8724

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/16/2018 Reviewed on 01/16/2018

### 1 Identification

- · Product identifier
- · Trade name: <u>Magic Kote<sup>TM</sup> (Spec Release)</u>
- · Article number: 83-146057
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the mixture

 $\cdot$  Details of the supplier of the safety data sheet  $\cdot$ 

Manufacturer/Supplier: Dayton® Superior

4226 Kansas Avenue

Kansas City, KS 66106

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

### 2 Hazard(s) identification

· Classification of the substance or mixture

Carc. 1B H350 May cause cancer.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms





GHS08 GHS09

- · Signal word Danger
- · Hazard-determining components of labeling:

Distillates (petroleum), hydrotreated light naphthenic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Residual oils (petroleum), solvent-dewaxed

Residual oils (petroleum), hydrotreated

· Hazard statements May

cause cancer.

Toxic to aquatic life with long lasting effects.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid release to the environment.

IF exposed or concerned: Get medical advice/attention.

Collect spillage.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 01/16/2018 Reviewed on 01/16/2018

Trade name: Spec Release<sup>TM</sup>


US

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	50-75%
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	10-25%
64742-62-7	Residual oils (petroleum), solvent-dewaxed	≤ 10%
64742-57-0	Residual oils (petroleum), hydrotreated	≤ 10%
112-90-3	(Z)-octadec-9-enylamine	≤ 1%

· Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 01/16/2018 Reviewed on 01/16/2018

#### Trade name: Spec Release<sup>TM</sup>

(Contd. of page 2)

#### · Advice for firefighters ·

#### Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear

protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities ·

### Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing. Wash

hands before breaks and at the end of work.

(Contd. on page 4)

Printing date 01/16/2018 Reviewed on 01/16/2018

### Trade name: Spec Release<sup>TM</sup>

Store protective clothing separately.

(Contd. of page 3)

(Contd. on page 5)

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Eye protection: Wear appropriate eye protection to prevent eye contact.

Physical and chemical proper	
Information on basic physical and o	
· General Information · Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 218 °C (> 424 °F)
· Flash point:	140 °C (284 °F)
Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	0.89 g/cm³ (7.427 lbs/gal)
<b>Relative density</b> Not determined. • <b>Volume</b> Volume Volum	apour density Not ot determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.

Printing date 01/16/2018 Reviewed on 01/16/2018

Trade name: Spec Release<sup>TM</sup>

	(Contd. of page	e 4)
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	65.5 %	
· Other information	No further relevant information available.	
· Volatile Organic Compounds:	Contains less than 250 g/L.	

### 10 Stability and reactivity

- · Reactivity No decomposition if stored and applied as directed.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

- · Conditions to avoid Keep away from heat and sources of ignition.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

· Information on toxicological effects ·

Acute toxicity:

- · Primary irritant effect:
- · on the skin: No irritant effect known.
- · on the eye: No irritating effect known.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations: Carcinogenic.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
111-42-2 2,2'-iminodiethanol	2B
NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$

(Contd. on page 6)

(Contd. of page 5) ·

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/16/2018 Reviewed on 01/16/2018

Trade name: Spec Release<sup>TM</sup>

Mobility in soil No further relevant information available.

· Ecotoxical effects:

- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

· Results of PBT and vPvB assessment ·

**PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

### 13 Disposal considerations

· Waste treatment methods ·

#### Recommendation:

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to Federal, State, and Local regulations.

14 Transport information	
· UN-Number · DOT	Not Regulated
· ADR, IMDG, IATA	UN3082
· UN proper shipping name · DOT	Not Regulated
· ADR	3082 Environmentally hazardous substances, liquid, n.o.s. ((Z)-octadec-9-enylamine)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((Z)-octadec-9-enylamine), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((Z)-octadec-9-enylamine)
· Transport hazard class(es)	
$\cdot$ <b>DOT</b>	
· Class	Not Regulated
ADR, IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles
· Label	9

(Contd. on page 7)

Printing date 01/16/2018 Reviewed on 01/16/2018

	(Contd. of page
· Packing group	, cs
· Packing group · DOT	Not Regulated
· ADR, IMDG, IATA	III
· Environmental hazards:	Product contains environmentally hazardous substances: (2
	octadec-9-enylamine
· Marine pollutant:	Yes
	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· Danger code (Kemler):	90
· EMS Number:	F- $A$ , $S$ - $F$
Transport in bulk according to Annex II of MARPOL73/ Code Not applicable.	/78 and the IBC
· Transport/Additional information:	
TransportAdditional information.	
· DOT	
-	Add "Marine Pollutant" to end of proper shipping name
· DOT	Add "Marine Pollutant" to end of proper shipping name shipping in a bulk container (>119 gallons).
· DOT	
· DOT · Remarks:	shipping in a bulk container (>119 gallons).
· DOT · Remarks:	shipping in a bulk container (>119 gallons).  Code: E1
· DOT · Remarks:	shipping in a bulk container (>119 gallons).  Code: E1  Maximum net quantity per inner packaging: 30 ml Maximum
· DOT · Remarks:  · ADR · Excepted quantities (EQ)	shipping in a bulk container (>119 gallons).  Code: E1  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· DOT · Remarks:  · ADR · Excepted quantities (EQ)  · U.S. Domestic Ground Shipments:	shipping in a bulk container (>119 gallons).  Code: E1  Maximum net quantity per inner packaging: 30 ml Maximum
· DOT · Remarks:  · ADR · Excepted quantities (EQ)	shipping in a bulk container (>119 gallons).  Code: E1  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· DOT · Remarks:  · ADR · Excepted quantities (EQ)  · U.S. Domestic Ground Shipments: · U.S. Domestic Ground Non-Bulk (119 gal or less per	Shipping in a bulk container (>119 gallons).  Code: E1  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  Not Regulated by D.O.T.
· DOT · Remarks:  · ADR · Excepted quantities (EQ)  · U.S. Domestic Ground Shipments: · U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Shipping in a bulk container (>119 gallons).  Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Not Regulated by D.O.T.  Same as listed for Standard Shipments above.
· DOT · Remarks:  · ADR · Excepted quantities (EQ)  · U.S. Domestic Ground Shipments: · U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments: · Emergency Response Guide (ERG) Number:	Shipping in a bulk container (>119 gallons).  Code: E1  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  Not Regulated by D.O.T.  Same as listed for Standard Shipments above.
· DOT · Remarks:  · ADR · Excepted quantities (EQ)  · U.S. Domestic Ground Shipments: · U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments: · Emergency Response Guide (ERG) Number: · IMDG	Shipping in a bulk container (>119 gallons).  Code: E1  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  Not Regulated by D.O.T.  Same as listed for Standard Shipments above.  Not determine
· DOT · Remarks:  · ADR · Excepted quantities (EQ)  · U.S. Domestic Ground Shipments: · U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments: · Emergency Response Guide (ERG) Number: · IMDG · Limited quantities (LQ)	Shipping in a bulk container (>119 gallons).  Code: E1  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  Not Regulated by D.O.T.  Same as listed for Standard Shipments above.  Not determine  5L  Code: E1
· DOT · Remarks:  · ADR · Excepted quantities (EQ)  · U.S. Domestic Ground Shipments: · U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments: · Emergency Response Guide (ERG) Number: · IMDG · Limited quantities (LQ)	Shipping in a bulk container (>119 gallons).  Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Not Regulated by D.O.T.  Same as listed for Standard Shipments above. Not determine
· DOT · Remarks:  · ADR · Excepted quantities (EQ)  · U.S. Domestic Ground Shipments: · U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments: · Emergency Response Guide (ERG) Number: · IMDG · Limited quantities (LQ)	Shipping in a bulk container (>119 gallons).  Code: E1  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  Not Regulated by D.O.T.  Same as listed for Standard Shipments above.  Not determine  5L  Code: E1  Maximum net quantity per inner packaging: 30 ml

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

111-42-2	2,2'-iminodiethanol ≤	0.1%
	$(C_{-n+1})$	0

(Contd. on page 8)

Printing date 01/16/2018 Reviewed on 01/16/2018

Trade name: Spec Release<sup>TM</sup>

•	(Contd. of page 7
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to the State of California (Prop. 65) to cause cancer:	
111-42-2 2,2'-iminodiethanol	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
111-42-2 2,2'-iminodiethanol	A3
· MAK (German Maximum Workplace Concentration)	
112-80-1 oleic acid, pure	3A
111-42-2 2,2'-iminodiethanol	3B
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms





GHS08 GHS09

- · Signal word Danger
- · Hazard-determining components of labeling:

Distillates (petroleum), hydrotreated light naphthenic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Residual oils (petroleum), solvent-dewaxed

Residual oils (petroleum), hydrotreated

· Hazard statements

May cause cancer.

Toxic to aquatic life with long lasting effects.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid release to the environment.

IF exposed or concerned: Get medical advice/attention.

Collect spillage.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)

Printing date 01/16/2018 Reviewed on 01/16/2018

### Trade name: Spec Release<sup>TM</sup>

(Contd. of page 8)

· National regulations:

#### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

- · Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 08/25/2015 / 34 ·

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

Carc. 1B: Carcinogenicity, Hazard Category 1B

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2